

The Gazette of Meghalaya

PUBLISHED BY AUTHORITY

No. 36

Shillong, Thursday, November 2, 2006, 11th

11th Kartika,

1928 (S. E.)

PART II-A

GOVERNMENT OF MEGHALAYA ORDERS BY THE GOVERNOR

NOTIFICATION

The 16th October, 2006.

No.ERTS(T)64/98/316.—In exercise of the powers conferred by sub-section (1) of Section 112 of the Meghalaya Value Added Tax Act, 2003 (Act No. 2 of 2005) as amended, the State Government is pleased to make the following amendment by way of addition of a new serial number, with entries thereto, in the Schedule II to the said Act:-

In the Schedule II of the Principal Act, after serial number 139, a new serial number 140, with entries thereto, shall be inserted as follows:-

"140 - Cement produced by Mawmluh Cherra Cements Ltd., and sold in Meghalaya".

This Notification shall come into force with immediate effect and will continue to remain in force for a period of 5 (five) years from the date of this notification, or until further orders.

B. K. DEV VARMA,

Principal Secretary to the Govt. of Meghalaya, Excise, Registration, Taxation & Stamps Department, Meghalaya, Shillong.

The 13th October, 2006.

No.TPT.39/2006/91.—In exercise of the power conferred under clause (p) of sub-section (2) of Section 65 of the Motor Vehicle Act 1988 (Central Act No. 59 of 1988), the Government of Meghalaya is pleased to further amend the Meghalaya Motor Vehicle Rules (Assam Rule 1940 as adapted by Meghalaya) as follows:-

- 1. **Short title and commencement.**—(1) These may be called the Meghalaya Motor Vehicle (Amendment) Rules, 2006.
 - (2) They shall come into force from the date of Notification in the official Gazette.
- 2. **Insertion of New Section 41A and 41B**:—After the existing rules 41 of the Meghalaya Motor Vehicle Rules (Assam Rules 1940 as adopted by Meghalaya) the following new rules shall be inserted, namely:-
 - **"41A. Application on for High security Registration Plate for Motor vehicle**:- An application for supply/ fixing of high security registration plates on motor vehicles shall be made in Form-I, II, III and IV appended in the rules to the registering authority where the vehicle is registered or be registered.
 - **"41B. Form and manner of display of registration platesd on motor vehicle:** After the commencement of these rules the registration plate of a motor vehicle shall be displayed both at the front and at the rear of all motor vehicles clearly and legibly in the form and manner prescribed as per the following specifications namely:–
 - (1) The plate is to be a solid unit made of 1.0 mm. aluminium conforming to DIN 1745/DIN 1783 or ISO 7591, and such plate shall be suitable for hot stamping and reflective sheet which has to be guaranteed for imperishable nature for minium of five (5) years. The fast coloring of legend and border to be done by hot stamping.
 - (2) The letters and numerals on the registration plates shall be embossed and hot stamped.
 - (3) To protect against counterfeiting, a chromium based hologram of size 20mm.x 20mm. is to be applied by hot stamping on top left hand corner of the plate in both front and rear plates. The hologram shall contain logo of CHAKRA (a national sign) in blue colour.
 - (4) The hot stamping film to be applied on the letters/numerals of the license number shall bear the inscription "INDIA". The letter "INDIA" shall be type Arial Bold script at 45 degree inclination with sequential lines being the mirror image of the other. (This is called security inscript).
 - (5) A third registration plate in the form of self destructive type chromium based hologram sticker in size of 100mm.x60mm. to be fixed on the inner side of left hand conner windshield of the vehicle, giving details like name of registrering authority, engine and chassis number etc. of the vehicle. On the bottom of the right corner of the sticker a chromium based hologram of smaller size of 10mm.x10mm. is to be applied. The sticker is to be essentially a diffraction foil film with reflective index and shall have the chromium based hologram embedded.
 - (6) The registration plate in rear of the vehicle shall be fastened with non-removable/non-reusable snap lock system (two snap locks).
 - (7) The plate shall bear letter IND in blue colour on the extreme left conner of the plate. The letter should be one forth of the letter required in the plate and should be buried into the foil of applied by hot stamping and should be integral part of the plate.
 - (8) The parmanent identification number of minimum seven digits and two alphabets is to be laser branded into the reflective sheeting on bottom left hand side of the registration plate with numeral size being 2.5mm.

Size of letters and numerals of the registration marks

The dimensions of letters and figures of the registration mark and the space between different letters and numerals and letters and edge of the plain surface shall be as follows:—

<u>SI.</u> No		!	<u>Height</u>	Dimrnsion not Thickness	t less than space between
	1	2	3	4	5
1.	All motor cycles and three wheeled invalid carriages	Rear letters	35	7	5
2.	All motor cycles and three wheeled invalid carriages	Rear numerals	40	7	5
3.	Motor cycles with engine capacity less than 70 cc	Front letters and numerals	15	225	2.5
4.	Other motor cycles	Front letters and numerals	30	65	5
5.	Three Wheelers of ingine capacity not exceeding 500 cc	Rear and Front numerals and lette	35 ers	7	5
6.	Three Wheelers of engine capacity exceeding 500 cc	Rear and Front numerals and lette	40 ers	7	5
7.	All other motor vehicles	Rear and Front numerals and lette	65 ers	10	10

P. W. INGTY,
Commissioner & Secretary to the Govt. of Meghalaya,
Transport Department.